

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/785,550	02/24/2004	Bernd Thurau	MDX / 291US	8154
26875 7590 01/05/2007 WOOD, HERRON & EVANS, LLP 2700 CAREW TOWER			EXAMINER	
			NGUYEN, HUONG Q	
441 VINE STRE CINCINNATI, C			ART UNIT	PAPER NUMBER
· · · · · · · · · · · · · · · · · · ·			3736	
SHORTENED STATUTORY	PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
3 MON	THS	01/05/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)				
Office Action Comment	10/785,550	THURAU ET AL.				
Office Action Summary	Examiner	Art Unit				
	Helen Nguyen	3736				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION  16(a). In no event, however, may a reply be tim  11 apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	I. ely filed the mailing date of this communication. O (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 14 Se	☐ Responsive to communication(s) filed on <u>14 September 2006</u> .					
,	<del>/</del>					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-114</u> is/are pending in the application.						
4a) Of the above claim(s) 8,9,17-19,44,45,51,66	0,61,67-81,89,90,97,98,101,106,	108-112 is/are withdrawn from				
consideration.						
5) Claim(s) is/are allowed.	5) Claim(s) is/are allowed.					
6) Claim(s) <u>1-7,10-16,20-43,46-50,52-59,62-66,82</u>	)⊠ Claim(s) <u>1-7,10-16,20-43,46-50,52-59,62-66,82-88,91-96,99-100,102-105,107,113-114</u> is/are rejected.					
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	Claim(s) are subject to restriction and/or election requirement.					
Application Papers						
9) The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on <u>24 February 2004</u> is/are	)⊠ The drawing(s) filed on <u>24 February 2004</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.					
Applicant may not request that any objection to the	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correcti	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) X Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	te				
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 7/16/04, 7/30/04, see Other.	5)					
Faper INU(5)/INIAII Date // 1004, //30/04, See Office.						

Application/Control Number: 10/785,550 Page 2

Art Unit: 3736

### **DETAILED ACTION**

## Election/Restrictions

1. Applicant's election with traverse of Species 4 in the reply filed on 9/14/2006 is acknowledged. The traversal is on the ground(s) that there are no distinct differences between the species. This is not found persuasive because the specification discloses several distinct species from the species elected by applicant as follows:

Species 1, drawn to Figures 1-2 disclosing a reservoir with a drive surface that does not include a plunger;

Species 2, drawn to Figures 3-5 disclosing a reservoir with a drive surface coupled to a plunger and a lower housing having a circular bowl or hemispherical shape;

Species 3, drawn to Figure 6 disclosing a reservoir with a connecting structure such as nipple and aperture;

Species 4, drawn to Figures 7-8 disclosing a reservoir with a channel;

Species 5, drawn to Figures 9-10 disclosing a reservoir with a lower housing having an elliptical or oval bowl shape;

Species 6, drawn to Figure 11 disclosing a reservoir with a lower housing having a conical bowl shape;

Species 7, drawn to Figure 12 disclosing a reservoir with a channel completely enclosed by the rigid wall forming a closed channel with an aperture.

The requirement is still deemed proper and is therefore made FINAL.

2. Applicant also contends that the previously defined Species 8 is improper as being drawn to a system that includes a diaphragm-based reservoir, such as that elected in Species 4.

Examiner agrees with applicant, therefore Claims 38-43, 46-50, 52-59, 62-66, and 114 are also examined along with the elected Claims of Species 4, Claims 1-7, 10-16, 20-37, 82-88, 91-96, 99-100, 102-105, 107, and 113, with Claim 1 being generic.

3. Claims 8-9, 17-19, 44-45, 51, 60-61, 67-81, 89-90, 97-98, 101, 106, and 108-112 are withdrawn from further consideration pursuant to 37 CFR 1.142(b), as being drawn to a nonelected species. Applicant timely traversed the restriction (election) requirement in the reply filed on 9/14/2006.

# Information Disclosure Statement

4. The information disclosure statement (IDS) submitted on 7/16/2004, 7/30/2004, 12/9/2004, and 8/22/2005 is/are acknowledged. The submission is in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statement is being considered by the examiner.

## Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 1-7, 10-16, 20-29, 31, 34, 37, 82-88, 91-92, 95-96, 99-100, 103-105, and 113 are rejected under 35 U.S.C. 103(a) as being unpatentable over Alden et al (US Pub No. 20050101979) in view of Hagen et al (US Pat No. 6348043).

Application/Control Number: 10/785,550

Art Unit: 3736

7. In regard to Claims 1, 5-7, 11, 31, 82, 86-88, 95-96, 103, and 113, Alden et al disclose a

reservoir for use in a closed blood sampling system, the reservoir comprising:

a lower housing having a rigid wall including "first side" (308), best seen in Figure 3

bottom, with an opening opposite said wall;

a flexible membrane, referred to as "diaphragm" (310), overlying at least part of the rigid

wall and sealingly secured thereto closing off the opening to define a variable volume chamber

(300) therebetween;

a channel formed in the rigid wall having an inlet port (302) and an exit port (316) and in

fluid communication with the chamber;

an upper housing coupled to the lower housing, best seen in Figure 3 top on the side of

"duct" (320);

the flexible membrane having a minimum volume position spaced closely adjacent the

rigid wall to define a minimum volume at which fluid still flows between the inlet port and exit

port through the chamber, the flexible membrane being able to flex out of the minimum volume

position to an expanded volume position (¶0025).

8. However, Alden et al do not disclose a drive surface adapted to engage against the

flexible membrane to hold said membrane in the minimum volume position. Alden et al do

disclose that mechanical means may be used to control movement of said flexible membrane

(¶0025). Hagen et al disclose an analogous reservoir comprising a flexible membrane (70)

coupled to a drive surface attached to a moveable plunger, referred to as "piston" (20), with a

portion for manipulation by a user, wherein movement of the piston between two positions

Page 4

Application/Control Number: 10/785,550 Page 5

Art Unit: 3736

(Figure 18A and C) causes subsequent movement of the flexible membrane, best seen in Figures

18A-C (Col.10: 10-33).

9. Therefore, it would have been obvious to one of ordinary skill in the art to modify the

reservoir of Alden et al to include a drive surface in the form of a moveable plunger having a

first portion received through the upper housing with the drive surface coupled to the top of the

flexible membrane and thus fluidly isolated from the chamber, said plunger having a portion for

manipulation by a user, as taught by Hagen et al, such that movement of the plunger in one

direction flexes the membrane toward the expanded volume position to allow sampling and

movement in a second direction flexes the membrane toward the minimum volume position and

holds the membrane in said position to discharge fluid from the reservoir, as an effective means

to control the movement of the flexible membrane of Alden et al.

10. In regard to Claims 2, 83, Alden et al disclose the rigid wall including a stem adapted to

cooperate with a mounting bracket for mounting to a support, best seen in Figure 2A and 2B.

11. In regard to Claims 3, 84, Alden et al disclose the rigid wall having a shape and the

flexible membrane (310) generally conforming to the shape of the rigid wall.

12. In regard to Claims 4, 85, Alden et al in combination with Hagen et al disclose the rigid

wall having a shape and the drive surface generally conforming to the shape of the rigid wall.

Application/Control Number: 10/785,550 Page 6

Art Unit: 3736

13. In regard to Claims 10, 91, Alden et al disclose the flexible membrane (310) having a lower surface, the rigid wall engaging against at least a portion of the lower surface in the minimum volume position.

- In regard to Claims 12, 92, Alden et al in combination with Hagen et al disclose the 14. flexible membrane having an upper surface, the drive surface engaging against substantially the entire upper surface when in the minimum volume position.
- 15. In regard to Claims 13-14, 99, 104, Alden et al in combination with Hagen et al disclose the drive surface being positioned to move the membrane toward the rigid wall or channel so as to reduce the volume of the chamber stepwise in a first direction of movement of the drive surface.
- In regard to Claims 15-16, 100, 105, Alden et al in combination with Hagen et al disclose 16. the flexible membrane being able to flex away from the rigid wall or channel to the expanded volume position in a second direction of movement of the drive surface causing a stepwise increase in the volume of the chamber
- 17. In regard to Claims 20-29, 34, and 37, Alden et al in combination with Hagen et al disclose the invention above including a rigid wall with an upper edge, a flexible membrane with an upper edge, a housing with a lower edge, and a drive surface, all with a shape, but do not explicitly disclose a specific shape for said components. However, it would have been obvious

Application/Control Number: 10/785,550

Page 7

Art Unit: 3736

to modify the rigid wall, flexible member, housing, and drive surface to have a shape such as bowl shaped, such that the rigid wall and flexible member are one of hemispherical, conical or oval bowl shape, the drive surface also bowl shaped, and the upper edge of the rigid wall and flexible member as well as the lower edge of the housing having a shape traversing at least one of a circular and elliptical path because it appears the invention of Alden et al as modified by Hagen et al would perform equally well with those shapes and such a modification would have been considered a mere design choice which fails to patentably distinguish over Alden et al in combination with Hagen et al.

- 18. Similarly, in regards to **Claim 26**, it would have been obvious to modify the position of the inlet and exit ports of Alden et al as modified by Hagen et al to be adjacent to the upper edge of the rigid wall for the same reasons.
- 19. Claims 30, 32-33, 35-36, 93-94, 102, 107 are rejected under 35 U.S.C. 103(a) as being unpatentable over Alden et al in view of Hagen et al, further in view of Bazell et al (US Pat No. 4370987).
- 20. In regard to Claims 30, 102, 107, Alden et al in combination with Hagen et al disclose the invention above but do not disclose the plunger having a knob for manipulation by a user. Bazell et al disclose a blood sampling device comprising an analogous plunger with a knob, referred to as "handle" (52), to allow easy access for manipulation by the user, best seen in Figure 5. Therefore, it would have been obvious to one of ordinary skill in the art to modify the

Application/Control Number: 10/785,550 Page 8

Art Unit: 3736

plunger of Alden et al as modified by Hagen et al to include a knob as taught by Bazell et al for ease of manipulation by the user during device use.

- In regard to Claims 32-33, 35-36, 93-94, Alden et al in combination with Hagen et al disclose the invention above but do not disclose at least one of the housing and plunger adapted to fix the drive surface in certain positions. Bazell et al disclose a blood sampling device comprising a housing, referred to as "barrel" (20), and a plunger, referred to as "piston" (40) and "rod" (50), said housing including a detent or "locking member" (28) adapted to engage a recess on the plunger, or "projections" (54), best seen in Figure 1 and 4 (Col.3: 28-51), as an effective mechanism to hold an analogous drive surface in a number of positions. Therefore, it would have been obvious to one of ordinary skill in the art to modify the invention of Alden as modified by Hagen et al to such that the housing comprises a detent to engage a recess on the plunger, as taught by Bazell et al, to effectively secure the drive surface in a minimum or maximum volume positions
- 22. Claims 38-43, 46-50, 52-59, 62-66, and 114 are rejected under 35 U.S.C. 103(a) as being unpatentable over Alden et al in view of Hagen et al, further in view of Simpson et al (US Pat No. 5002066).
- 23. In regard to Claims 38, 58, 64, 114, Alden et al in combination with Hagen et al disclose the blood sampling system comprising a reservoir above but do not disclose the system including tubing adapted to be coupled between a fluid supply and a circulatory system of a patient, nor a

Application/Control Number: 10/785,550

Art Unit: 3736

valve. Simpson et al disclose a closed blood sampling apparatus comprising tubing adapted to be coupled between a fluid supply (16) and a circulatory system of a patient, a sampling site (29) disposed in the tubing intermediate the patient, and a valve, referred to as "stopcock" (11), which is closed prior to sampling blood, as well as a "T-connector" (27) used along with a "storage syringe" (35) assembly that functions analogously to said reservoir, best seen in Figure 1 (Col.3), as an effective method and system to sample blood.

Page 9

- 24. Therefore, it would have been obvious to one of ordinary skill in the art to modify the invention of Alden et al as modified by Hagen et al to include tubing coupled between a fluid supply and a circulatory system of a patient so that a sampling site is disposed in the tubing intermediate the patient along with a valve that is closed prior to sampling blood, as taught by Simpson et al, and to sample the blood using the reservoir of Alden et al in combination with Hagen et al, as an effective method and apparatus to draw blood.
- 25. Claims 52-57 are rejected under 35 U.S.C. 103(a) as being unpatentable over Alden et al in view of Hagen et al, further in view of Simpson et al, even further in view of Bazell et al.

  Alden et al in combination with Hagen et al and Simpson et al disclose the invention above but do not disclose the plunger with a knob or a recess to fixedly secure the drive surface by engaging a detent in the housing. Bazell et al disclose a plunger with a knob and a recess and the housing with a detent, as further described in ¶20-21 above. Therefore, it would have been obvious to one of ordinary skill in the art to modify the invention of Alden et al as modified by Hagen et al and Simpson et al to include a knob and recess on the plunger and detent on the

Art Unit: 3736

housing, as taught by Bazell et al, to improve the sampling device for the reasons previously explained above.

Page 10

### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Helen Nguyen whose telephone number is 571-272-8340. The examiner can normally be reached on Monday - Friday, 8 am - 5 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Max Hindenburg can be reached on 571-272-4726. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.